Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
62	BRS	2	6016038.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 11:46		
63	BRS	2	6127783.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 11:49		
64	BRS	70	315/$.ccls. and (calibrat$7 near5 (stor$5 or memory or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 11:49		
65	BRS	50	315/$.ccls. and (calibrat$7 near5 (stor$5 or memory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 11:50		
66	BRS	20	(315/$.ccls. and (calibrat$7 near5 (stor$5 or memory or data))) not (315/$.ccls. and (calibrat$7 near5 (stor$5 or memory)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 11:50		
67	BRS	22	(315/$.ccls. and (calibrat$7 near5 (stor$5 or memory or data))) and (led or (light near2 diode))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 11:53		
68	BRS	7	("3760174" | "4810937" | "5268828" | "5301090" | "5471052" | "6095661" | "6127783").PN.	USPAT	2003/10/05 11:55		
69	BRS	2566	((light near2 diode) or led) and (detect$4 or sens$4) and (calibrat$7 near5 (stor$5 or memory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 12:29		
70	BRS	1009	((((light near2 diode) or led) near20 (detect$4 or sens$4)) and (calibrat$7 near5 (stor$5 or memory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 13:12		
71	BRS	2	5471052.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 12:33		
72	BRS	1	315/$.ccls. and (calibrat$5 near5 (led or (light near2 diode))) and (calibrat$5 near5 table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 12:40		
73	BRS	89	(calibrat$5 near5 (led or (light near2 diode))) and (calibrat$5 near5 table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 16:03		
74	BRS	18	315/$.ccls. and (calibrat$7 near5 (table))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 13:06		
75	BRS	200	(calibrat$7 near5 (led or (light near2 diode))) and (calibrat$7 near5 (table))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 13:06		
76	BRS	95	(illumin$6 adj (device or system or apparatus)). and (calibrat$7 near5 (table))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 13:10		
77	BRS	69	(light$5 adj (device or system or apparatus)). and (calibrat$7 near5 (table))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 13:11		
78	BRS	185	color near2 kinetics	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 13:13		
79	BRS	95	color adj kinetics	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 13:32		
80	BRS	192	(calibrat$5 near5 (led or (light near2 diode))) and ((stor$5 or memory) near5 (output))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 14:56		
81	BRS	2	4962687.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 14:17		
82	BRS	4	4962687.URPN.	USPAT	2003/10/05 14:17		
83	BRS	112	(calibrat$5 near5 (led or (light near2 diode))) and (calibrat$7 near10 scal$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 15:34		
84	BRS	2	5350977.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 15:58		

	Type	Hits	Search Text	DBs	Time Stamp	Comments.	Error Definition
85	BRS	41	(calibrat$5 near5 (led or (light near2 diode))) and (process$5 near10 address$6)	USPAT; US-PGPUB; EPO;; JPO; DERWENT; IBM_TDB	2003/10/05 19:23		
86	BRS	3914	motorola and (processor near10 address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 16:15		
87	BRS	1586	motorola and (processor near2 address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 16:15		
88	BRS	800	motorola and (processor near1 address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 16:17		
89	BRS	44546	motorola.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 16:17		
90	BRS	136	motorola.as. and (processor near1 address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 16:17		
91	BRS	0	(calibrat$8 near10 ((pulse near2 width) and (duty adj cycle)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 16:42		
92	BRS	1	(calibrat$8 near20 ((pulse near2 width) and (duty adj cycle)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 16:42		
93	BRS	18	(calibrat$5 near5 (led or (light near2 diode))) and ((pulse near2 width) near40 (duty adj cycle)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 16:52		
94	BRS	112	(calibrat$5 near5 (led or (light near2 diode))) and (pulse near2 width)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 18:56		
95	BRS	2	6016038.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 16:56		
96	BRS	412	control$5 near10 (led or (light near2 diode)) near20 (pulse near2 width)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 17:15		
97	BRS	115	(control$5 near10 (led or (light near2 diode)) near20 (pulse near2 width)) and (duty near2 cycle)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 17:02		
98	BRS	39	(("3746918" | "4298869" | "4329625" | "4367464" | "4388567" | "4420711" | "4625152" | "4727289" | "4845481" | "4887074" | "4992704" | "5003227" | "5008595" | "5126634" | "5134387" | "5164715" | "5184114" | "5226723" | "5254910" | "5256948" | "5282121" | "5294865" | "5350977" | "5357170" | "5374876" | "5388357" | "5404282" | "5406176" | "5410328" | "5420482" | "5436535" | "5463280" | "5504395" | "5545950" | "5561346" | "5575459" | "5592051" | "5751118" | "5821695").PN.	USPAT	2003/10/05 16:59		
99	BRS	7	(("3746918" | "4298869" | "4329625" | "4367464" | "4388567" | "4420711" | "4625152" | "4727289" | "4845481" | "4887074" | "4992704" | "5003227" | "5008595" | "5126634" | "5134387" | "5164715" | "5184114" | "5226723" | "5254910" | "5256948" | "5282121" | "5294865" | "5350977" | "5357170" | "5374876" | "5388357" | "5404282" | "5406176" | "5410328" | "5420482" | "5436535" | "5463280" | "5504395" | "5545950" | "5561346" | "5575459" | "5592051" | "5751118" | "5821695").PN.) and (pulse near2 width)	USPAT	2003/10/05 16:59		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
100	BRS	33	(control$5 near10 (led or (light near2 diode)) near20 (pulse near2 width)) near20 (duty near2 cycle)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 17:15		
101	BRS	87	(led or (light near2 diode)) near20 (pulse near2 width) near20 (duty near2 cycle)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 17:30		
102	BRS	2	4857944.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 17:31		
103	BRS	18	(calibrat$5 near5 (led or (light near2 diode)) and (network near10 processor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 18:57		
104	BRS	3425	((led or (light near2 diode))) and (network near10 processor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 19:10		
105	BRS	2	5565855.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 19:10		
106	BRS	9533	((led or (light near2 diode)) and (process$5 near10 address$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 19:23		
107	BRS	652	((led or (light near2 diode))) and (process$5 near10 address$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 19:24		
108	BRS	437	(((led or (light near2 diode))) and ((process$5 near10 address$6) near20 computer)) and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 20:42		
109	BRS	4	("5420482" | "5821704" | "5920156" | "6229432").PN.	USPAT	2003/10/05 19:29		
110	BRS	63	dmx adj protocol	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/05 20:42		
111	BRS	30	(calibrat$5 near5 (led or (light near2 diode)) and (calibrat$5 near10 ambient)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/06 08:16		
112	BRS	0	(color adj kinetics) and (calibrat$5 near10 ambient)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/06 08:16		
113	BRS	32	(color adj kinetics) and (ambient)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/06 08:18		
114	BRS	3269	((light$4 or illuminat$5) near2 (system or apparatus or device)) and (ambient near3 (detect$4 or sens$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/06 08:20		
115	BRS	948	((light$4 or illuminat$5) adj (system or apparatus or device)) and (ambient near3 (detect$4 or sens$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/06 08:32		
116	BRS	303	((((light$4 or illuminat$5) adj (system or apparatus or device)) and (ambient near3 (detect$4 or sens$4))) and white	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/06 08:25		
117	BRS	4	("4922154" or "5583397").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/06 08:24		
118	BRS	148	((light$4 or illuminat$5) adj (system or apparatus or device)) and (approximat$4 near10 ambient)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/06 09:02		
119	BRS	7	4922154.URPN.	USPAT	2003/10/06 08:44		
120	BRS	2	4922154.URPN. and ambient	USPAT	2003/10/06 08:44		
121	BRS	14	(calibrat$4 near5 (led or (light near2 diode)) and (match$4 near10 network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/06 08:56		
122	BRS	534	((light$4 or illuminat$5) adj (system or apparatus or device)) and ((match$4 or similar) near20 network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/06 09:09		
123	BRS	16	((light$4 or illuminat$5) adj (system or apparatus or device)) and network and ((adjust$4 or calibrat$4) near5 (age or date))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/06 09:12		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
124 BRS	299	(((light$4 or illuminat$5) adj (system or apparatus or device)) and network and ((match$4) near5 (intensity or illuminat$4 or light$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/06 09:20		
125 BRS	8	(((light$4 or illuminat$5) adj (system or apparatus or device)) and (network near20 ((match$4) near5 (intensity or illuminat$4 or light$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/06 09:21		